





COPY OF PAPERS  
ORIGINALLY FILED

AUG 16 2002


TECH CENTER 1600/2900



**b**

| Pol   | E. coli holo |   |   |   |   |   |   |    | Taq holo |   |   |   |   |   |   |    |
|---|--------------|---|---|---|---|---|---|----|----------|---|---|---|---|---|---|----|
| Rif-(CH <sub>2</sub> ) <sub>n</sub> -ATP n= | 0            | 2 | 3 | 4 | 5 | 6 | 8 | 12 | 0        | 2 | 3 | 4 | 5 | 6 | 8 | 12 |

Rif-(CH<sub>2</sub>)<sub>n</sub>-Ap\*UTP →




Campbell et al., Fig. 2


**a**



**b**



**c**



**Campbell et al., Fig. 3**




RECEIVED

AUG 16 2002

COPY OF PAPERS  
ORIGINALLY FILED


TECH CENTER 1600/2900



**Campbell et al., Fig. 4**



COPY OF PAPERS  
ORIGINALLY FILED



**Campbell et al., Fig. 5**




RECEIVED

AUG 16 2002

TECH CENTER 1600/2900



COPY OF PAPERS  
ORIGINALLY FILED



**b**

Minimal scaffold

7 6 5 4 3  
RNA 5' AAAUCGC 3'  
ATTTAGCGGCTGTTAAAGT 5' T DNA  
ACAATTTCA 3' NT



Campbell et al., Fig. 6

